SUNMI V2

Significant drop in frequency of printer roll replacement

"After using SUNMI's product, I saved more time to provide better service to customers."

LA VEGE

Room 302, No. 199, University Road, Yangpu District, Shanghai

Technical Specifications

70mm/s Seiko Printer

95 dB Speaker

Double Expansion Of Large Paper Warehouse

5.0MP Camera, Flash, AF

5.45" IPS Display

7.6V Li-Po Battery

4G & Wi-Fi

Sleek 17.8mm Body Width

Bill
Printing

Mobile
Payment

Ordering

Takeaway

Queue
Control

Marketing
Management

SII

Breeze through busy days with the V2's cutting-edge printing mechanism

Heat Sensitive Seiko Printing Head Ensures Crystal Clear Readibility

70mm/s Printing With 16.7% Enhancement In Output Speed

Enjoy Uninterrupted Billing, No Matter How Long The Queue Is

Zig Zag bill tear-off point for a clean and hassle-free rip

*The data is from the comparison with the previous generation product.

# Frequent paper roll refills?
Not anymore

Supports 58mm width paper roll and 50mm diameter
paper roll that doubles the paper capacity.

Cut Down On Refill Costs

Save more with the V2 that houses a 50mm diameter roll, reducing your recurring refill cost.

In comparison with a 40mm diameter roll, you save on an average of 0.06 yuan(USD 0.001) per meter, 0.06 yuan(USD 0.001) in one day, 219 yuan(USD 40) in one year.

For Indoor And
Outdoor Applications

eSIM

Feel free to select your prefered network without the need for a SIM card.

Dual-band Wi-Fi

2.4Ghz/5GHz Dual Band Wifi boosts transmission speed and significantly reduces errors caused due to conjestion of frequency.

4G Full Netcom

Maintains connections anytime, anywhere; Both, indoors and outdoors.

Quick Charging, Long Use Time And High Volume

The 95 dB, 1 Watt speaker supports real time ordering, take-a-number queue control and money handling. No more missed turns, alerts or orders even in the noisiest environments.

Its high quality 2580mAh 7.6V Li-Po battery lasts the whole day even in the most demanding situations. It never compromises on printing speed even if it's almost out of juice. And the best part? Taking typical user behaviour into account, it automatically prevents overcharge or over-discharge which significantly extends battery life.

Easily Used In Dark Environments

The 5.0MP AF camera with flashlight complete with autofocus assures rapid scanning and error-free data collection even in poorly lit environments.

SUNMI CLOUD OS 3.0

Get stable, safer and smoother performance with pre-installed Sunmi OS 3.0

Android 7.1

With the industry leading OS, you can now install all the necessary applications to keep your device and information safe.

8GB ROM + 1GB RAM

Improves consistency of applications and reduces chances of insufficient storage and scaling blocks in crucial times.

GPS Equipped

Know and verify your device location for unified management.

Large Screen For Easy Accessability

The 5.45", IPS, Full HD screen displays important information with utmost precision and promotes an error-free experience.

Thin, Sleek & Handy

Its 17.8mm slim size and oblique ergonomic design makes it easy to hold for every palm size and fits in every pocket.

Lightweight

Weighing only 364g, the practical, user friendly device is easy to handle, lasts long and improves efficiency of ordering and payment processing.

V2 Technical Specifications

CPU
Quad Core Processor
1.3GHz

OS
SUNMI OS 2.0
(Based on Android 7.1)

Memory
8GB ROM+1GB RAM

Display
5.45"HD+
1440x720 18:9 IPS

WIFI
2.4G/5G,
Support IEEE 802.11 a/b/g/n

GPS
GPS，AGPS
Support OTG

Button
Power On Button,
Volume Up/Volume Down

Base
Support charging

Battery
Non-removable polymer
lithium battery,
2580mAh@ 7.6V

Speaker
95dB

Interface
USB Type-C

Bluetooth
Support Bluetooth 4.0,
BLE

Adapter
Input;AC 100-240V
Output;5V/2A

Size
219.1*80*17.8mm

Weight
364g(include battery)

SIM Card Slot
NANO SIM卡*1

Communication
4G/3G/2G

NFC
not support

Printing
Seiko Hight Speed 58
thermal printing,
printing speed 70mm/s MAX,
support Roll Diameter 50mm

Camera
5.0MP Auto Focus with Flash LED,
Support 1D/2D

Enviroment
Working temperature：0℃~45℃
storage temperature：-40℃~70℃